

POWER GENERATORS



CONTACT

Are you looking for a reliable and high quality power generator for your business, home or recreational activities? Our company offers a wide portfolio of inverter, gasoline and diesel power generators that will satisfy even the most demanding needs.

With our power generators, you get an independent energy source that will never let you down. Please contact us and our experts will help you in finding the ideal solution for your energy requirements.



+49 9944 890 98 96



info@hahn-sohn.de



www.hahn-sohn.de



**INVERTERS,
GASOLINE,
DIESEL
AND INDUSTRIAL**

POWER GENERATORS

INVERTER



GASOLINE



DIESEL



INDUSTRIAL



**TECHNICAL
PARAMETERS**

INVERTOR

POWER GENERATORS

Maximum output	Nominal output	Output voltage	Nominal current	Starter	Weight
800 W	700 W	230V/50Hz	3.04 A	manual	12 kg
1100 W	1000 W	230V/50Hz	4.5 A	manual	13 kg
1.8 kW	1.6 kW	230V/50Hz	7.0 A	manual	21 kg
2.5 kW	2.3 kW	230V/50Hz	10.0 A	manual	27 kg
3.3 kW	3 kW	230V/50Hz	13 A	manual	35 kg
3.3 kW	3 kW	230V/50Hz	13 A	manual, electric	48 kg
7 kW	6 kW	230V/50Hz	26 A	electric	130 kg



Mobile and compact devices that can provide stable and clean energy that is suitable for sensitive electronic devices too. Thanks to their small size and low weight, suitcase inverters in particular are very suitable for camping, whether in a tent or caravan, and you do not have to worry about charging your mobile phone or laptop.

GASOLINE

POWER GENERATORS



Gasoline power generators are among the most frequently used. They are more suitable for shorter and undemanding operation. They are very good, for example, for a garden without an electrical connection, where they will be great for operating garden machines or lighting in the cabin. But they can also be used as a short-term energy source for the family house. Compared to diesel power generators, the gasoline ones are usually smaller and easier to relocate.



Maximum output	Nominal output	Output voltage	Nominal current	Starter	Weight
3.3 kW	3 kW	230V/50Hz	13 A	X - manual E - electric	40 kg
5.5 kW	5 kW	230V/50Hz	21.7 A	manual	72 kg
6.5 kVA 6.5 kW	6 kW	230V/50Hz	26.1 A	manual	86 kg
6.5 kW	3 kW / 6 kW	230V/400V/50Hz	10.8 A	manual	89 kg
6.5 kVA 8.5 kW	10.6 kVA 8.5 kW	230V/400V/50Hz	34.8 A 14.4 A	manual, electric	89 kg
11 kW	3.5 kW / 10 kW	230V/400V/50Hz	18 A	manual, electric	143 kg
5.5 kW / 17 kW	5 kW / 15 kW	230V/400V/50Hz	27 A	electric	213 kg

HGG 3100X
HGG 3100E

HGG 5500 X-H

HGG 8000 X

HGG 8000 X3HGG 11000 E-E3HGG 14000E3AHGG 2200 E3A

DIESEL

POWER GENERATORS



Reliable, high-performance, long-life power generators operate far more efficiently and are therefore able to produce more energy from the same volume of fuel. These power generators are suitable for long-term and demanding operation and are ideal for construction or industry, but they can also serve as a backup power source for the whole family house.



Maximum output	Nominal output	Output voltage	Nominal current	Starter	Weight
6.5 kW / 6.5 kW	6.0 kW / 6.0 kW	230V/400V, 50Hz	26.08 A / 10.8 A	manual, electric	118 kg
7 kW / 7 kVA / 7 kW / 8.75 kVA	6 kW / 6 kVA / 6 kW / 7.5 kVA	230V/400V, 50Hz	10.8 A	electric	140 kg
11 kW / 11 kW	10 kW / 10 kW	230V/400V, 50Hz	18.04 A	electric	160 kg
11 kW / 11 kVA / 11 kW / 13.5 kVA	10 kW / 10 kVA / 10 kW / 12.5 kVA	230V/400V, 50Hz	18.0 A	electric	220 kg
9 kVA / 11 kW	8 kVA / 10 kW	230V/400V, 50Hz	14.4 A	electric	310 kg

HDE 9000
EA-EA3 1/3

HDE 9000
SA-SA3 1/3

HDE 14000
EA-EA3

HDE 14000
SA-SA3

HDE12STA13

INDUSTRIAL

POWER GENERATORS



The industrial power generators are key elements of modern industry, providing a reliable and constantly available source of electricity for various branches. Their high performance and reliability make them indispensable for industrial operations, including manufacturing, agriculture, mining, food and chemical industries.



	HDE22RST3	HDE31RST3	HDE40RST3	HDE40RST3-3	HDE60RST3	HDE60RST3-3	HDE80RST3	HDE100RST3	HDE101RST3-3	HDE20SS3	HDE40SS3	HDE80SS3
Maximum output	24 kVA / 19 kW	34 kVA / 27 kW	44 kVA / 35 kW	40 kVA / 32 kW	66 kVA / 53 kW	66 kVA / 55 kW	88 kVA / 70 kW	107 kVA / 85 kW	110 kVA / 88 kW	22 kVA / 18 kW	41 kVA / 33 kW	89 kVA / 71 kW
Nominal output	22 kVA / 18 kW	31 kVA / 25 kW	40 kVA / 32 kW	36 kVA / 28.8 kW	60 kVA / 48 kW	60 kVA / 48 kW	80 kVA / 64 kW	97 kVA / 78 kW	100 kVA / 80 kW	20 kVA / 16 kW	37 kVA / 30 kW	80 kVA / 64 kW
Output voltage	230 V / 400 V	230 V / 400 V	230 V / 400 V	230 V / 400 V	230 V / 400 V	230 V / 400 V	230 V / 400 V	230 V / 400 V	230 V / 400 V	230 V / 400 V	230 V / 400 V	230 V / 400 V
Nominal current	32 A	45 A	58 A	52 A	87 A	87 A	115 A	140 A	140 A	28.9 A	53.4 A	115.5 A
Starter	electric	electric	electric	electric	electric	electric	electric	electric	electric	electric	electric	electric
Weight	740 kg	980 kg	1000 kg	900 kg	1150 kg	1170 kg	1200 kg	1670 kg	1730 kg	815 kg	1060 kg	1440 kg